

Metal Impex – ER 2209

Classifications:

EN ISO 14343-A: 2007: G 22 9 3 N L
EN ISO 14343-B: 2007: SS 2209
AWS A5.9-07: ER2209

Typical Chemistry Composition of Weld Deposit:

C	Cr	Ni	Mn	Si
<0.03	21.50 – 23.50	7.50 – 9.50	0.50 – 2.00	<0.90

Description:

- MIG / TIG welding of 22%Cr-9%Ni-3%Mo duplex stainless steels (UNS S310803, STS 329J1, 329J2L)

Typical Mechanical Properties:

Yield Strength (Mpa) min. 450	Tensile Strength (Mpa) min. 690	Elongation (%) min. 20
-------------------------------------	---------------------------------------	------------------------------

Metal Impex

📍 Shop No. 1 Ground Flr. 23, 3rd Khetwadi Lane, Kotwala Bldg. MUMBAI - 400 004.

☎ 02267494777, 02266363150

📞 +91 9967568729

✉ metalexim@hotmail.com, narendra@metalimpex.co.in