

Metal Impex Ti-2

Classifications:

AWS A5.16: ER Ti-2
DIN 1737: SG Ti-2

Typical Chemistry Composition of Weld Deposit:

C	Fe	N	H	O2	Ti
<0.08	<0.25	<0.05	<0.013	<0.18	Remainder

Description:

- Titanium MIG/TIG wire for welding of pure Titanium and Titanium alloys with good elongation and medium strength.

Typical Mechanical Properties:

Yield Strength (Mpa)	Tensile Strength (Mpa)	Elongation (%)	Hardness (HB)
275	400 - 540	20	180

Metal Impex

📍 Shop No. 1 Ground Flr. 23, 3rd Khetwadi Lane, Kotwala Bldg. MUMBAI - 400 004.

☎ 02267494777, 02266363150

📞 +91 9967568729

✉ metalexim@hotmail.com, narendra@metalimpex.co.in